


HFGA158 分批整经机

Direct Warping Machine



主要技术参数


Main Technical Parameters

盘片直径(mm)	Beam diameter	800	1000	1250
最大速度(m/min)	Max. Working speed	1200		
有效幅宽(mm)	Working width	1400-2800		
加压形式	Press form	转臂 + 液压 Rotating arm + Hydraulic		
上下轴	Load/unload	选配 For option	选配 For option	选配 For option
设备尺寸	Machine size			
长(mm)	Length	1900+ 幅宽 Working width		
宽(mm)	Width	2120	2120	2100
高(mm)	Height	2520	2560	2700

HFGA158

Direct Warping Machine

HFGA158分批整经机



江阴市华方新技术科研有限公司

JIANGYIN HUAFANG NEW TECHNOLOGY & SCIENTIFIC RESEARCH CO.,LTD.

江苏省江阴市周庄镇长寿西张路11号
11# Xizhang Road, Changshou, Zhouzhuang Town, Jiangyin City, Jiangsu Province

137 0616 1133

0510-86366213

0510-86366212

zzj@h-fang.com

www.h-fang.com

HFGA158 分批整经机

Direct Warping Machine

- HFGA158 分批整经机适用于棉、麻、化纤及混纺纤维。根据工艺要求，可设定经轴卷取速度，压纱辊气压压力，获得所要求的密度。设备高速高效，传动精度高，采用液压控制方式，压力可调，智能运算，安全可靠，自带工艺参数库，方便用户快速掌握整经工艺。
- HFGA158 Direct Warping Machine is workable for cotton, hemp, polyester and blended fiber. Beam winding speed, press roller pressure can be set according to process to achieve required density. Machine has high speed and efficiency, high drive accuracy, hydraulic control method is applied, pressure can be adjusted, intelligent computing, safe & reliable, user can easily master warping process with machine process data library.



染色经轴整经
Dyeing beam warping




超喂罗拉控制 (选用)
Supper feed roller control (for option)
染色经轴整经时，精确控制纱线的喂入张力
For dyeing beam warping, accurately control the feed tension



激光测量系统 (选用)
Laser measuring system (for option)
精确的激光测量系统，确保经轴的密度精确可控
Accurate laser measurement system, guarantee beam density accurate and controllable.



整体防护挡风罩
Integrated protecting windshield
通过气缸推拉，使挡风罩整体升降，飞花防护更彻底
Integrated lifting of windshield is controlled by cylinder, better fly protection



转臂式玻璃钢压辊
Rotating arm type FRP press roller
通过油缸推拉，使压辊绕转动管转动，给经轴提供压力
Press roller is rotating around the tube which is controlled by oil cylinder to provide pressure on the beam




制动方式
Brake method
整机通过一套液压站提供制动动力及其他液动力
One set of hydraulic station provides brake force and other hydraulic power



电器箱
Electrical cabinet



电器箱
Electrical cabinet



防交叉装置
Cross protecting device